



**Contract #109**

# **Truck Equipment Catalog**



**1420 Brewster Creek Blvd.  
Bartlett, IL 60103**

**(630) 860-5600 • Fax (630) 860-5631**

**[www.autotruck.com](http://www.autotruck.com)**

**MAKING TRUCKS INTO TOOLS SINCE 1918**

To: Suburban Purchasing Cooperative Member  
 Subject: Truck Equipment Contract

Auto Truck Inc, in Bartlett, has been awarded the Suburban Purchasing Cooperative Contract #109 for commercial truck equipment, including dump bodies, service bodies, and platform and stake bodies.

The warranty and service on equipment provided through the Suburban Purchasing Cooperative, will be registered to the individual municipal at the time of delivery. The standard warranty is one year, unless the manufacturer has specified a longer warranty on particular components. This information will be broken down and included in the warranty literature package, which is delivered with every truck.

For service or repair on Auto Truck equipment, contact John Smulski for any issues.

If you have questions about sales, service or warranty, please call the contacts listed to the right.

Sincerely,

Matt McGowan, Sales Manager  
 mmcgowan@autotruck.com  
 Auto Truck, Inc.  
 1420 Brewster Creek Blvd.  
 Bartlett, IL 60103  
 630-860-5600



### Ellen Dayan

Program Manager for Purchasing  
 Northwest Municipal Conference  
 1616 E. Golf Road  
 Des Plaines, IL 60016  
 847-296-9200 x32  
[edayan@nwmc-cog.org](mailto:edayan@nwmc-cog.org)

### Brett Wise Municipal Sales

From IL Rt. 64 south to the southern edge of Will County. From IL Rt. 47 east to the lakefront, including Lake and Porter Counties in Indiana.

Cell phone: **224-567-1493**  
 Email: [bwise@autotruck.com](mailto:bwise@autotruck.com)

### Rick Durgin Municipal Sales

From IL Rt. 47 west to the Mississippi River. From the Wisconsin state line south to Springfield. Includes counties south of Will County, Illinois.

Cell phone: **630-802-3121**  
 Email: [rdurgin@autotruck.com](mailto:rdurgin@autotruck.com)

### Dan Mytnik Inside Sales Consultant

Direct Line: **630-540-7273**  
 Email: [dmytnik@autotruck.com](mailto:dmytnik@autotruck.com)

### John Smulski Service Manager

Direct Line: **630-540-7204**  
 Email: [jsmulski@autotruck.com](mailto:jsmulski@autotruck.com)

Contact  
 and  
 Warranty

Dump  
 Body  
 (9 ft.)

Dump  
 Body  
 (11 ft.)

Service  
 Body  
 (9 ft.)

Service  
 Body  
 (11 ft.)

H.D.  
 Platform  
 (9 or 12 ft.)

Plows

Spreaders

Spreader  
 Controllers

Central  
 Hydraulics

Lighting

Auto  
 Truck  
 LineCard



**Standard Package:**  
**\$5,323.00**



**Dump Body  
 (9 ft.)**

**Specifications:**

- ◆ Rugby® 9 ft. dump body with fixed sides
- ◆ One-piece steel cab shield
- ◆ Formed or structural long members under structure
- ◆ Formed or structural cross members under structure or cross memberless
- ◆ Double-acting tailgate
- ◆ 110 tensile strength ultra high steel, 10-gauge minimum floor and sides
- ◆ Hoist is 8.5 ton double-acting electric over hydraulic with push button
- ◆ Up and down controls
- ◆ Minimum 12" side(s) height
- ◆ Rear window in bulkhead
- ◆ Side board pockets
- ◆ Minimum tailgate height of 6" above side height
- ◆ Tailgate chains
- ◆ Scissor-type hoist
- ◆ ICC lights and reflectors
- ◆ Back-up alarm
- ◆ Body up light kit
- ◆ Body safety prop
- ◆ Rear mud flaps
- ◆ Undercoat dump body (includes spray-on undercoat not paint)
- ◆ Painted black or white

**Options:**

Fold down on both sides .....	\$424.00
Heavy duty 2" receiver tube with pintle hitch .....	\$398.00
Non-metallic single-stage paint, any color.....	\$250.00

Contact and Warranty

Dump Body (9 ft.)

Dump Body (11 ft.)

Service Body (9 ft.)

Service Body (11 ft.)

H.D. Platform (9 or 12 ft.)

Plows

Spreaders

Spreader Controllers

Central Hydraulics

Lighting

Auto Truck LineCard

Contact and Warranty

Dump Body (9 ft.)

**Dump Body (11 ft.)**

Service Body (9 ft.)

Service Body (11 ft.)

H.D. Platform (9 or 12 ft.)

Plows

Spreaders

Spreader Controllers

Central Hydraulics

Lighting

Auto Truck LineCard



**Standard Package:  
\$5,608.00**



**Dump Body  
(11 ft.)**

**Specifications:**

- ◆ Rugby® 11 ft. dump body with fixed sides
- ◆ One-piece steel cab shield
- ◆ Formed or structural long members under structure
- ◆ Formed or structural cross members under structure or cross memberless
- ◆ Double-acting tailgate
- ◆ 110 tensile strength ultra high steel, 10-gauge minimum floor and sides
- ◆ Hoist is 8.5 ton double-acting electric over hydraulic with push button
- ◆ Up and down controls
- ◆ Minimum 12" side(s) height
- ◆ Rear window in bulkhead
- ◆ Side board pockets
- ◆ Minimum tailgate height of 6" above side height
- ◆ Tailgate chains
- ◆ Scissor-type hoist
- ◆ ICC lights and reflectors
- ◆ Back-up alarm
- ◆ Body up light kit
- ◆ Body safety prop
- ◆ Rear mud flaps
- ◆ Undercoat dump body (includes spray-on undercoat not paint)
- ◆ Painted black or white

**Options:**

Fold down on both sides .....	\$478.00
Heavy duty 2" receiver rube with pintle hitch .....	\$398.00
Non-metallic single-stage paint, any color.....	\$250.00

# Dual Rear Wheel Service Body (9 ft.)

5



**Standard Package:**  
**\$4,865.00**

EXPECT MORE. CHOOSE READING.



## Dual Rear Wheel Service Body (9 ft.)

### Specifications:

- ◆ Reading® 9 ft. dual rear wheel service body
- ◆ 20" deep compartments and 50" wide floor
- ◆ Stainless steel rotary latches
- ◆ Over center spring door holders or lift support on all vertical doors
- ◆ Standard shelving package includes:
  - (1) adjustable divider tray and (1) adjustable flat shelf in each front vertical
  - (1) adjustable flat shelf in each rear vertical
  - (1) adjustable divider tray and (1) pull-out tray in passenger side horizontal convertible panel between driver's side horizontal and rear vertical compartments
  - (1) fuel fill
- ◆ Slam lock type tailgate
- ◆ Automotive, clip-on door rubber or gasket
- ◆ A60 galvaneal steel construction
- ◆ 90" minimum bumper
- ◆ Concealed, bolt-on style door hinges
- ◆ Concealed drip rail
- ◆ Lock bolt fastening, welded or formed construction
- ◆ 14-gauge body construction with 20-gauge double panel doors
- ◆ 12-gauge steel tread plate floor
- ◆ Undercoat service body
- ◆ Paint body black or white (exterior only)
- ◆ ICC Lights and Reflectors
- ◆ Back up alarm
- ◆ Recessed S/T/T and back-up lights

### Options:

54" Enclosed top .....	\$2,025.00
64" Enclosed top .....	\$2,045.00
Non-metallic single-stage paint, any color.....	\$ 250.00

Contact and Warranty

Dump Body (9 ft.)

Dump Body (11 ft.)

Service Body (9 ft.)

Service Body (11 ft.)

H.D. Platform (9 or 12 ft.)

Plows

Spreaders

Spreader Controllers

Central Hydraulics

Lighting

Auto Truck LineCard



**Standard Package:  
\$5,653.00**

EXPECT MORE. CHOOSE READING.



**Dual Rear  
Wheel Service  
Body (11 ft.)**

### Specifications:

- ◆ Reading® 11 ft. dual rear wheel service body
- ◆ 20" deep compartments and 50" wide floor
- ◆ Stainless steel rotary latches
- ◆ Over center spring door holders or lift support on all vertical doors
- ◆ Standard shelving package includes:
  - (1) adjustable divider tray and (1) adjustable flat shelf in each front vertical
  - (1) adjustable flat shelf in each rear vertical
  - (1) adjustable divider tray and (1) pull-out tray in passenger side horizontal convertible panel between driver's side horizontal and rear vertical compartments
  - (1) fuel fill
- ◆ Slam lock type tailgate
- ◆ Automotive, clip-on door rubber or gasket
- ◆ Mounting kit and hardware
- ◆ A60 galvanized steel construction
- ◆ 90" minimum bumper
- ◆ Concealed, bolt-on style door hinges
- ◆ Concealed drip rail
- ◆ Lock bolt fastening, welded or formed construction
- ◆ 14-gauge body construction with 20-gauge double panel doors
- ◆ 12-gauge steel tread plate floor
- ◆ Undercoat service body
- ◆ Paint body black or white
- ◆ ICC lights and reflectors
- ◆ Back up alarm
- ◆ Recessed S/T/T & Back-up lights

### Options:

54" Enclosed top .....	\$2,523.00
64" Enclosed top .....	\$2,523.00
Non-metallic single-stage paint, any color.....	\$ 250.00

Contact  
and  
Warranty

Dump  
Body  
(9 ft.)

Dump  
Body  
(11 ft.)

Service  
Body  
(9 ft.)

Service  
Body  
(11 ft.)

H.D.  
Platform  
(9 or 12 ft.)

Plows

Spreaders

Spreader  
Controllers

Central  
Hydraulics

Lighting

Auto  
Truck  
LineCard

# Standard Heavy Duty Platform (9 ft. & 12 ft.)

# 7



Photo is for reference only, and may not exactly represent the specifications as listed.



## Standard Heavy Duty Platform (9 ft. & 12 ft.)

Contact and Warranty

Dump Body (9 ft.)

Dump Body (11 ft.)

Service Body (9 ft.)

Service Body (11 ft.)

H.D. Platform (9 or 12 ft.)

Plows

Spreaders

Spreader Controllers

Central Hydraulics

Lighting

Auto Truck LineCard

### Platform (9 ft.)

#### Specifications:

- ◆ 9' length, 96" width
- ◆ Yellow pine wood floor
- ◆ 4" structural channel run sills
- ◆ Cross members on 12" centers
- ◆ Black is standard

#### Options:

Bulkhead 40 x 96 with side gussets .....	\$474.00
40" solid steel stake sides .....	\$470.00
Colors available for extra charge	

Standard Package:  
**\$2,050.00**

### Platform (12 FT.)

#### Specifications:

- ◆ 12' length, 96" width
- ◆ Yellow pine wood floor
- ◆ 6" structural long members
- ◆ Cross members on 12" centers
- ◆ Black is standard

#### Options:

Bulkhead 40 x 96 with side gussets .....	\$474.00
40" solid steel stake sides .....	\$670.00
Colors available for extra charge	

Standard Package:  
**\$2,199.00**

Contact  
and  
Warranty

Dump  
Body  
(9 ft.)

Dump  
Body  
(11 ft.)

Service  
Body  
(9 ft.)

Service  
Body  
(11 ft.)

H.D.  
Platform  
(9 or 12 ft.)

Plows

Spreaders

Spreader  
Controllers

Central  
Hydraulics

Lighting

Auto  
Truck  
LineCard



# Meyer®

- ◆ **Drive Pro™** The Meyer Drive Pro is an easy-to-use, fully functional steel snowplow operated from the comfort of your SUV or light-duty pick-up.
- ◆ **Lot Pro™** With its thirty-two inches tall and a 75° attack angle, Lot Pro delivers better overall clearing performance in less time. Fits ¾ ton trucks and up.
- ◆ **Road Pro™** The Meyer® Road Pro™ is the biggest and toughest snowplow in the Meyer line, making it the perfect match for 23,000 - 33,000 lb. GVW trucks.
- ◆ **Diamond Edge™** A heavy-duty plow with a 0-degree attack angle and bottom-trip. Fits ¾ ton trucks and up, compact tractors and skid steers.
- ◆ **Super V/V2™** This plow has a 70-degree attack angle and a tapering steel blade that provides excellent snow rolling and throwing action similar to that of a highway plow. Fits ¾ tons and up.

# WESTERN®



- ◆ **HTS™** This plow is a full-size, full-featured snowplow designed exclusively for today's lighter half-ton, four-wheel-drive trucks.
- ◆ **Pro-Plow®** Designed to meet the requirements of the professional plower. Fits ¾ ton and up.
- ◆ **Pro-Plus®** Designed for heavy-duty commercial and municipality applications, the PRO PLUS® line fits a wide range of vehicles from ¾ ton to F-550 size trucks.
- ◆ **MVP™ Plus** Steel or Poly v-plow that fits a wide range of vehicles from ¾ ton to F-550 size trucks.
- ◆ **Wide-Out™** It's a 9-foot scoop, an 8-to-10-foot straight blade and with the leading wing angled forward, it delivers the ultimate in high-capacity windrowing. Fits ¾ ton and up.
- ◆ **Heavy Weight** The ideal plow for all-purpose, moderate-speed plowing, and a great choice for clearing local streets, parks, county roads and large parking lots. Designed for 14,000 - 27,000 GVW trucks.

630-860-5600  
www.autotruck.com

**AUTO TRUCK**  
GROUP



## Henderson

### ◆ FSH Ice Control / Sand Spreader

Built to master the elements in heavy-duty fashion. Available in three models and several capacities, this unit is ideal for municipalities and their demanding budgets.

### ◆ FSM Medium Duty Spreader

Compatible with all utility dump bodies. Built strong to handle the tough jobs. Quick and easy installation, removal and storage.

### ◆ FSP Pick-up Salt / Sand Spreader

Reliable and rugged spreader fits any size pick-up. Installs almost instantly. Available in a variety of lengths with capacities to 4.0 cubic yards.

### ◆ HPS-Lite Pick-up Salt / Sand Spreader

Lighter weight and lower cost compared to the alternative pick-up spreaders in the market, with all the adaptability traits of the FSP. Available in 8' length.

### ◆ TGS Tailgate Spreader

Precision delivery of your material to the road. A low-maintenance, hard working tailgate spreader. Doesn't interfere with normal hauling or dumping operations. Stainless steel or mild steel.

### ◆ RTS Replacement Tailgate Spreader

Fits the Mark Three and Mark Four, as well as most other one-ton dump bodies. Installs and removes easily. A tough spreader at a gentle price.

Contact  
and  
Warranty

Dump  
Body  
(9 ft.)

Dump  
Body  
(11 ft.)

Service  
Body  
(9 ft.)

Service  
Body  
(11 ft.)

H.D.  
Platform  
(9 or 12 ft.)

Plows

Spreaders

Spreader  
Controllers

Central  
Hydraulics

Lighting

Auto  
Truck  
LineCard

Contact  
and  
WarrantyDump  
Body  
(9 ft.)Dump  
Body  
(11 ft.)Service  
Body  
(9 ft.)Service  
Body  
(11 ft.)H.D.  
Platform  
(9 or 12 ft.)

Plows

Spreaders

Spreader  
ControllersCentral  
Hydraulics

Lighting

Auto  
Truck  
LineCard

A.



B.



C.



D.



E.

**FORCE**<sup>®</sup>  
America INC.

### A. SSC1100

From the Manual Spreader Control Series, uses dented dials for precise repeatability, independently controls both auger and spinner outputs.

### B. SSC2100

From the Ground-Based Spreader Control Series, uses vehicle ground speed to maintain spread rates.

### C. SSC2150


Same as the SSC2100 but also includes up to five additional valves or auxiliary switches, and individual resettable circuit breakers.

### D. SSC2500

Same as the SSC2100 but also includes a liquid drive output and a separate liquid power switch with indicator.

### E. SSC5100

A microprocessor-based spreader control used for applying up to four identifiable materials, pre-wetting and anti-icing liquids, can be used in closed-loop, open-loop or manual spreading operations.



## 248 SERIES - POWER SHIFT 6-BOLT

- ◆ For Ford Super Duty Trucks with Ford TorqShift 6 (6R140) MY2011 and Later
- ◆ Torque Rating up to 200 Lbs.ft
- ◆ Large Selection of Parker/Commercial Pumps
- ◆ Integrated Hydraulic Valve and Pressure Switch in the P.T.O. Housing
- ◆ New Chelsea Supplied Controlled Compression Gasket
- ◆ Simpler P.T.O. Installation for both 4 x 4 and 4 x 2 chassis models.

## 30 GALLON STEEL SIDE MOUNT

- ◆ Steel Tank Assembly, fully baffled, with pre-punched and slotted 2" x 2" mounting angles
- ◆ Powder Coated Black Finish  
Two 1-1/4" NPT Side
- ◆ Ports & One 1-1/4" NPT Plug
- ◆ Two 2.0" NPT Side Ports & One 2.0" NPT Plug
- ◆ Magnetic Drain Plug, Filler/Breather Assembly, incl. 40 micro filter w/ chain
- ◆ 5" Oil Level/Temp Sight Gauge
- ◆ Unit Packaged in a Single Carton
- ◆ Tank Weight 62 Lbs.



Contact and Warranty

Dump Body (9 ft.)

Dump Body (11 ft.)

Service Body (9 ft.)

Service Body (11 ft.)

H.D. Platform (9 or 12 ft.)

Plows

Spreaders

Spreader Controllers

Central Hydraulics

Lighting

Auto Truck LineCard

Contact  
and  
Warranty

Dump  
Body  
(9 ft.)

Dump  
Body  
(11 ft.)

Service  
Body  
(9 ft.)

Service  
Body  
(11 ft.)

H.D.  
Platform  
(9 or 12 ft.)

Plows

Spreaders

Spreader  
Controllers

Central  
Hydraulics

Lighting

Auto  
Truck  
LineCard



- ◆ 4-Corner Strobes
- ◆ Beacons
- ◆ Mini Bars
- ◆ Auxiliary Lighting
- ◆ D.O.T. Systems
- ◆ Deck & Grille
- ◆ Traffic Advisors
- ◆ Lightbars
- ◆ Specialty Lighting

**PSE AMBER**<sup>®</sup>



**FEDERAL SIGNAL**

**WHELEN**<sup>®</sup>  
ENGINEERING COMPANY, INC.

630-860-5600  
[www.autotruck.com](http://www.autotruck.com)

**AUTO TRUCK**  
GROUP

## Air Compressors

- IMT
- VMAC
- BOSS



## Ranch Bodies

- CM
- Rugby
- Reading



## Truck Caps

- A.R.E.
- Reading
- Leer
- Under Cover



## Cranes

- IMT
- Auto Crane
- National
- Liftmoore



## Salt Spreaders

- Western
- Meyer
- Henderson



## Utility Service Bodies

- Reading
- IMT
- Auto Crane



## Dump Bodies

- Rugby
- Henderson
- Auto Truck



## Snowplows

- Western
- Meyer
- Henderson Highway Plows



## Van Interiors

- Weather Guard
- Ranger



## Liftgates

- Eagle Lift
- Anthony
- Maxon
- Thieman
- Tommy Gate



## Tarps

- Pull Tarp
- Aero



## Winches

- Warn
- Ramsey



## Platform Bodies

- Reading
- Auto Truck



## Tool Boxes

- Weather Guard
- Buyers Products
- Reading



## Accessories

- Trailer Parts
- LEDs & Strobes



Contact and Warranty

Dump Body (9 ft.)

Dump Body (11 ft.)

Service Body (9 ft.)

Service Body (11 ft.)

H.D. Platform (9 or 12 ft.)

Plows

Spreaders

Spreader Controllers

Central Hydraulics

Lighting

Auto Truck LineCard

# AUTO TRUCK GROUP



1420 Brewster Creek Blvd.  
Bartlett, IL 60103

(630) 860-5600 • Fax (630) 860-5631

[www.autotruck.com](http://www.autotruck.com)

**MAKING TRUCKS INTO TOOLS SINCE 1918**